

The Facts: What Advocates Need to Know about the Healthy Timing and Spacing of Pregnancies

What Does Support for Healthy Timing and Spacing of Pregnancies (HTSP) mean?

- Education to women in developing nations about healthy birth timing (pregnant women are at lower risk when mother is between 18-34 years old)
- Education to women in developing nations about healthy birth spacing (2-3 years between children)
- Voluntary use of modern contraception
- Fertility awareness-based methods (sometimes known as natural family planning e.g., using the Standard Days Method with cycle beads)
- NOT abortion:
 - Hope Through Healing Hands does not fund abortion.
 - The Helms Amendment bars the use of U.S. government funds to pay for abortion services worldwide.

Women Lack Access to HTSP Education and Services

- <u>220+ million women worldwide</u> want access to HTSP education and services but don't have it.
- Less than 20% of women in Sub-Saharan Africa and barely a third of women in Asia use modern contraception.

Women Have Limited Access to Maternal Health Care

- Every year, complications from pregnancy and childbirth claim the lives of nearly <u>287,000 women</u> and permanently disable many more, mostly in developing countries.
- 99% of these deaths are in developing countries, and 80% are preventable.
- For every maternal death, at least <u>30 other women</u> suffer serious illness or permanent debilitating injury.

- Young teenage girls (often married) are 10 to 14 times more likely to die of pregnancy-related causes than those between the ages of 18-34.1
- Women with five or more children are 1.5 to three times more likely to die from pregnancy complications.²
- If 120 million women get access to HTSP resources, <u>200,000 fewer women</u> and girls will die in childbirth by 2020.

Newborns Suffer if Mothers Don't Have Access to HTSP Education and Services

- In developing countries, the <u>risk of prematurity and low birth rate doubles</u> when conception occurs within six months of a previous birth.
- Children born to women younger than 18 years have an excess mortality risk of about 40% and are more likely to be stunted and anemic than children born to women over 18 years of age.

HTSP Combats Infant Mortality

- With the recommended two years spacing between birth and pregnancy, children are more than twice as likely to survive infancy.
- With recommended birth spacing, mothers can breastfeed their children longer and devote more time and attention to their infants.
- If 120 million women get access to HTSP resources, <u>3 million</u> fewer babies will die in their first year of life by the year 2020.

HTSP Gives Girls and Women the Chance to Be Educated

- Right now, up to <u>25% of girls in developing countries drop out of school</u> due to unintended pregnancy.
- Moms empowered to make decisions on the timing and spacing of their pregnancies are more able to pursue their education and better their families' lives.

HTSP Reduces Abortion Rates

- There are <u>80 million unplanned pregnancies</u> each year, and 42 million of those end in abortion.
- For women who seek abortion, <u>67,000 will die</u> because of abortion-related injuries and millions more suffer complications and long-term injuries.
- HTSP education and services in developing nations could result in more than <u>100 million</u> fewer unintended pregnancies and over <u>50 million</u> fewer abortions per year by the year 2020.

HTSP Is Cost Effective

• Studies show that every dollar spent on HTSP can save governments <u>up to six</u> dollars that can be spent on improving health, housing, water, and other public services.

¹ Facts for Family Planning. 2013. Washington, D.C.: USAID, pg. 10.

² Ibid.

Helpful Bible Verses

- Genesis 1:27-28
- Psalm 41:2
- Hosea 12:6
- Micah 6:8
- Matthew 22:37-40
- Galatians 6:2
- 3 John 1:2

Helpful Links

- A Call to Christian Common Ground on Family Planning and Maternal and Children's Health, the New Evangelical Partnership for the Common Good
- Healthy Timing and Spacing of Pregnancy, World Vision